



Ifel 1644

ATTORNEY DOCKET NO. 21099.0074U2
PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

| | | |
|--------------------------------|---|-----------------------|
| In re Application of |) | |
| |) | |
| Meagher et al. |) | Art Unit: 1644 |
| |) | |
| Application No. 10/079,130 |) | Examiner: Unassigned |
| |) | |
| Filing Date: February 20, 2002 |) | Confirmation No. 6995 |
| |) | |
| For: RAPID PRODUCTION OF |) | |
| MONOCLONAL ANTIBODIES |) | |

INFORMATION DISCLOSURE STATEMENT

Mail Stop Amendment
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

NEEDLE & ROSENBERG, P.C.
Customer Number 23859

Sir:

Pursuant to the requirements of 37 C.F.R. § 1.56, submitted herewith on the accompanying Form PTO 1449 is a listing of documents known to Applicants and/or their attorneys. A copy of each of these documents is enclosed.

This Information Disclosure Statement is believed to be filed in a timely manner pursuant to 37 C.F.R. § 1.97(b)(3), in that a first Office Action on the merits of the present patent application has not yet been mailed to Applicants.


Consideration of the cited documents and making the same of record in the prosecution of the above-referenced application are respectfully requested.

ATTORNEY DOCKET NO. 21099.0074U2
Application No. 10/079,130


No fee is believed due; however, the Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 14-0629.

Respectfully submitted,

NEEDLE & ROSENBERG, P.C.


Lizette M. Fernandez, Ph.D.
Registration No. 46,694

NEEDLE & ROSENBERG, P.C.
Customer Number 23859
(678) 420-9300
(678) 420-9301 (fax)

| <u>CERTIFICATE OF MAILING UNDER 37 C.F.R. § 1.8</u> | |
|---|---------------------|
| I hereby certify that this correspondence, including any items indicated as attached or included, is being deposited with the United States Postal Service as first class mail in an envelope addressed to: Mail Stop Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450, on the date indicated below. | |
|  Lizette M. Fernandez | Date <u>6/22/04</u> |




| | | |
|---|-----------------------------------|-----------------------|
| Form PTO-1449 U.S. DEPARTMENT OF COMMERCE (Rev. 7-80) PATENT AND TRADEMARK OFFICE LIST OF INFORMATION CITED BY APPLICANT (Use several sheets if necessary) | ATTORNEY DOCKET NO.: 21099.0074U2 | SERIAL NO. 10/079,130 |
| | APPLICANT: Meagher et al. | |
| | FILING DATE: February 20, 2002 | GROUP: Unassigned |

| U.S. PATENT DOCUMENTS | | | | | | | |
|-----------------------|----|--------------|----------|----------------|-------|----------|----------------------------|
| EXAMINER INITIALS | | DOCUMENT NO. | DATE | NAME | CLASS | SUBCLASS | FILING DATE IF APPROPRIATE |
| | A1 | 4,978,625 | 12/18/90 | Wagner et al. | | | |
| | A2 | 5,212,072 | 05/18/93 | Blalock et al. | | | |
| | A3 | 5,264,341 | 11/23/93 | Maciak | | | |
| | A4 | 5,627,052 | 05/06/97 | Schrader | | | |
| | | | | | | | |

| FOREIGN PATENT DOCUMENTS | | | | | | | |
|--------------------------|----|------------|----------|---|--|--|--|
| | A5 | DE19900635 | 07/13/00 | Moldenhauer et al., Germany with Abstract | | | |

| OTHER PRIOR ART (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | | | | |
|--|-----|--|--|--|--|--|--|
| | A6 | Antczak D.F. "Monoclonal antibodies: technology and potential use" <i>J Am Vet Med Assoc</i> 181, 1005-10, 1982 | | | | | |
| | A7 | Condon et al. "Aberrant trafficking of the B cell receptor Ig-alpha beta subunit in a B lymphoma cell line" <i>J Immunol</i> 165, 1427-37, 2000 | | | | | |
| | A8 | Coursen et al. "Genomic instability and telomerase activity in human bronchial epithelial cells during immortalization by human papillomavirus-16 E6 and E7 genes" <i>Exp Cell Res</i> 235, 245-53, 1997 | | | | | |
| | A9 | DeFranco et al. "Structure and Function of the B-Cell Antigen Receptor" <i>Chem Immunol.</i> 59:156-172, 1994 | | | | | |
| | A10 | Dickson et al. "Human keratinocytes that express hTERT and also bypass a p16(INK4a)-enforced mechanism that limits life span become immortal yet retain normal growth and differentiation characteristics" <i>Mol Cell Biol</i> 20(4):1436-47, 2000 | | | | | |
| | A11 | Edwards-Gilbert, G. and Milcarek, C. "The binding of a subunit of the general polyadenylation factor cleavage polyadenylation specificity factor CPSF) to polyadenylation sites changes during B cell development" <i>Nucleic Acids Symposium Series</i> 33, 229-233, 1995 | | | | | |
| | A12 | Edwards-Gilbert, G. and Milcarek, C. "Regulation of poly(A) site use during mouse B-cell development involves a change in the binding of a general polyadenylation factor in a B-cell stage-specific manner" <i>Molecular and Cellular Biology</i> 15, 6420-6429, 1995 | | | | | |
| | A13 | Edwards-Gilbert et al. "Alternative poly(A) site selection in complex transcription units: means to an end?" <i>Nucleic Acids Res</i> 25, 2547-2561, 1997 | | | | | |
| | A14 | Flaspohler et al. "The 3'-untranslated region of membrane exon 2 from the gamma 2a immunoglobulin gene contributes to efficient transcription termination" <i>Journal of Biological Chemistry</i> 270, 11903-11, 1995 | | | | | |
| | A15 | Flaspohler, J. A. and Milcarek, C. "Myelomas and lymphomas expressing the Igy2a H chain gene have similar transcription termination regions" <i>Journal of Immunology</i> 144, 2802-2810, 1990 | | | | | |
| | A16 | Flaswinkel and Reth, "Molecular cloning of the Ig- alpha subunit of the human B-cell antigen receptor complex." <i>Immunogenetics</i> 36:266-269, 1992 | | | | | |



| | |
|-----|---|
| A17 | Flaswinkel and Reth, "Dual role of the tyrosine activation motif of the Ig- α protein during signal transduction via the B cell antigen receptor. <i>The EMBO Journal</i> 13(1):83-89, 1994 |
| A18 | Fraser, C.M. and Venter, J.C. "Monoclonal antibodies to beta-adrenergic receptors: use in purification and molecular characterization of beta receptors" <i>Proc Natl Acad Sci</i> 77, 7034-8, 1980 |
| A19 | Galli et al. "Relative position and strengths of poly(A) sites as well as transcription termination are critical to membrane vs secreted mu-chain expression during B-cell development" <i>Genes & Dev</i> 1, 471-481, 1987 |
| A20 | Genovese et al. "Differential mRNA stabilities affect mRNA levels in mutant mouse myeloma cells" <i>Somat Cell Mol Genet</i> 17, 69-81, 1991 |
| A21 | Genovese C. and Milcarek, C. "Increased half-life of mu immunoglobulin mRNA during mouse B cell development increases its abundancy" <i>Mol Immunol</i> 27, 733-43, 1990 |
| A22 | Glennie, M.J. and Johnson, P.W. "Clinical trials of antibody therapy" <i>Immunol Today</i> 21, 403-10, 2000 |
| A23 | Glennie, M.J. and van de Winkel, Jan G.J. "Renaissance of cancer therapeutic antibodies." <i>DDT</i> 8(11):503-510, 2003 |
| A24 | Gold and Matsuuchi, "Signal Transduction by the Antigen Receptors of B and T Lymphocytes" <i>International Review of Cytology</i> 157:181-276, 1995 |
| A25 | Graziano and Fanger "Fc γ RI and Fc γ RII on Monocytes and Granulocytes are Cytotoxic Trigger Molecules for Tumor Cells" <i>J. of Immun.</i> 139: 3536-3541, 1987 |
| A26 | Green, Larry L. "Antibody engineering via genetic engineering of the mouse: XenoMouse strains are a vehicle for the facile generation of therapeutic human monoclonal antibodies." <i>J. Immuno. Methods</i> 231:11-23, 1999 |
| A27 | Greenberg et al. "Telomerase reverse transcriptase gene is a direct target of c-Myc but is not functionally equivalent in cellular transformation" <i>Oncogene</i> 18, 1219-26, 1999 |
| A28 | Greene et al. "Monoclonal antibodies to human estrogen receptor" <i>Proc Natl Acad Sci U S A</i> 77, 5115-9, 1980 |
| A29 | Guisse et al. "Alternative expression of secreted and membrane forms of immunoglobulin μ -chain is regulated by transcriptional termination in stable plasmacytoma transfectants" <i>Journal of Immunology</i> 140, 3988-3994, 1988 |
| A30 | Hall, B. L. and Milcarek, C. "Sequence and polyadenylation site determination of murine immunoglobulin gamma 2a membrane 3' untranslated region" <i>Mol Immunol</i> 26, 819-826, 1989. |
| A31 | Hashimoto et al. "Alternative splicing of CD79a (Ig-alpha/mb-1) and CD79b (Ig-beta/B29) RNA transcripts in human B cells" <i>Mol Immunol</i> 32, 651-9, 1995 |
| A32 | Hattori et al. "The DNA sequence of human chromosome 21. The chromosome 21 mapping and sequencing consortium" <i>Nature</i> 405, 311-9, 2000 |
| A34 | Hombach et al. "Identification of the genes encoding the IgM-alpha and Ig-beta components of the IgM antigen receptor complex by amino-terminal sequencing" <i>Eur J Immunol</i> 20, 2795-9, 1990 |
| A35 | Hombach et al. "Molecular components of the B-cell antigen receptor complex of the IgM class" <i>Nature</i> 343, 760-2, 1990 |
| A36 | Hurwitz et al. "C $_H$ gene rearrangements in IgM-bearing B cells and in the normal splenic DNA component of hybridomas making different isotypes of antibody" <i>Cell</i> 22, 349-59, 1980 |
| A37 | Kanavaros et al. "Discordant expression of immunoglobulin and its associated molecule mb-1/CD79a is frequently found in mediastinal large B cell lymphomas" <i>Am J Pathol</i> 146, 735-41, 1995 |
| A38 | Kandasamy et al. "The late pollen specific actins in angiosperms" <i>Plant J</i> 18, 681-691, 1999 |
| A39 | Kelly, D. E., and Perry, R. P. "Transcriptional and post-transcriptional control of Ig mRNA production during B lymphocyte development" <i>Nucleic Acids Research</i> 14, 5431-5441, 1986 |
| A40 | Kim et al. "Immortalization of human embryonic fibroblasts by overexpression of c- myc and simian virus 40 large T antigen" <i>Exp Mol Med</i> 33, 293-8, 2001 |



| | |
|-----|---|
| A41 | Kim et al. "Differential signaling through the Ig- α and Ig- β components of the B cell antigen receptor" <i>Mol. Immunol.</i> 23: 911-916, 1993 |
| A42 | Kiyono et al. "Both Rb/p16 ^{INK4a} inactivation and telomerase activity are required to immortalize human epithelial cells" <i>Nature</i> 396, 84-8, 1998 |
| A43 | Kobrin, B. J. et al. Sequences near the 3' secretion-specific polyadenylation site influence levels of secretion-specific and membrane-specific IgG2b mRNA in myeloma cells" <i>Molecular and Cellular Biology</i> 6, 1687-1697, 1986 |
| A44 | Kohler, G., and Milstein, C. "Continuous cultures of fused cells secreting antibody of predefined specificity" <i>Nature</i> 256, 495, 1975 |
| A45 | Kohler and Milstein. "Derivation of specific antibody-producing tissue culture and tumor lines by cell fusion." <i>Eur. J. Immunol.</i> 6:495-497. (1975) |
| A46 | Kraus et al. "Ig- α Cytoplasmic Truncation Renders Immature B Cell More Sensitive to Antigen Contact," <i>Immunity</i> 11:537-545, 1999 |
| A47 | Laird et al. "50 million years of chordate evolution: Seeking the origins of adaptive immunity." <i>PNAS</i> 97(13):6924-6926, 2000 |
| A48 | Lassman, C. R., and Milcarek, C. "Regulated expression of the mouse γ 2b Ig H chain gene is influenced by polyA site order and strength" <i>J Immunol</i> 148(8), 2578-2585, 1992 |
| A49 | Lassman et al. "Plasma cell-regulated polyadenylation at the Ig gamma 2b secretion-specific poly(A) site" <i>J Immunol</i> 148, 1251-60, 1992. |
| A50 | Lebman et al. "Regulation of usage of membrane and secreted 3' termini of alpha mRNA differs from mu mRNA" <i>Journal of Immunology</i> 148, 3282-3289, 1992 |
| A51 | Leno et al. "IgG Production in Hybridoma Batch Culture: Kinetics of IgG mRNA, Cytoplasmic-, Secreted- and Membrane-Bound Antibody Levels" <i>Journal of Biotechnology</i> 20: 301-312, 1991 |
| A52 | Li et al. "Rapid isolation of monoclonal antibodies: monitoring enzymes in the phytochelatin synthesis pathway" <i>Plant Physiol</i> 711-719(2001) |
| A53 | Li et al. "Genetic diversity of the human immunoglobulin heavy chain V _H region." <i>Immunological Reviews</i> 190:53-68, 2002 |
| A54 | Lockhart, D.J. and Winzeler, E.A. "Genomics, gene expression and DNA arrays" <i>Nature</i> 405, 827-36, 2000 |
| A55 | MacBeath, G. and Schreiber, S.L. "Printing proteins as microarrays for high-throughput function determination" <i>Science</i> 289, 1760-3, 2000 |
| A56 | Matis et al. "B-lineage regulated polyadenylation occurs on weak poly(A) sites regardless of sequence composition at the cleavage and downstream regions" <i>Nucleic Acids Res</i> 24, 4684-92, 1996 |
| A57 | Matsuuchi et al. "The membrane IgM-associated proteins MB-1 and Ig- β are sufficient to promote surface expression of a partially functional B-cell antigen receptor in a nonlymphoid cell line" <i>Proc. Natl. Acad. Sci. USA</i> 89:3404-3408, 1992 |
| A58 | McKinney et al. "Optimizing antibody production in batch hybridoma cell culture" <i>Journal of Biotechnology</i> 40: 31-48, 1995 |
| A59 | Meilhoc et al. "Application of flow cytometric measurement of surface IgG in kinetic analysis of monoclonal antibody synthesis and secretion by murine hybridoma cells" <i>J Immunol Methods</i> 121, 167-174, 1989 |
| A60 | Milcarek, C., and Hall, B. "Cell-specific expression of secreted versus membrane forms of immunoglobulin gamma 2b mRNA involves selective use of alternate polyadenylation sites" <i>Mol Cell Biol</i> 5, 2514-2520, 1985 |
| A61 | Milcarek et al. "Changes in abundance of IgG 2a mRNA in the nucleus and cytoplasm of a murine B-lymphoma before and after fusion to a myeloma cell" <i>Mol Immunol</i> 33, 691-701, 1996 |
| A62 | Milcarek et al. "The Metabolism of a Poly(a) Minus mRNA Fraction in LeLa Cells." <i>Cell</i> 3:1-10, 1974 |



| | |
|-----|---|
| A63 | Miller et al. "Treatment of B-cell lymphoma with monoclonal anti-idiotypic antibody." <i>N Engl J Med</i> 306, 517-22, 1982 |
| A64 | Milstein, C. "With the benefit of hindsight" <i>Immunol Today</i> 21, 359-64, 2000 |
| A65 | Milstein, C. "The hybridoma revolution: an offshoot of basic research." <i>BioEssay</i> 21:966-973, 1999 |
| A66 | Morio et al. "The <i>Dictyostelium</i> developmental cDNA project: generation and analysis of expressed sequence tags from the first-finger stage of development" <i>DNA Res</i> 5, 335-40, 1998 |
| A67 | Munn et al. "Role of Low-Affinity Fc Receptors in Antibody-Dependent Tumor Cell Phagocytosis by Human Monocyte-Derived Macrophages" <i>Cancer Res.</i> 51: 1117-1123, 1991 |
| A68 | Nygren and Uhlen. "Scaffolds for engineering novel binding sites in proteins." <i>Engineering and Design</i> 7:463-469, 1997 |
| A69 | O'Reilly et al. "Rapid hybridoma screening method for the identification of monoclonal antibodies to low-abundance cytoplasmic proteins" <i>Biotechniques</i> 25, 824-30, 1998 |
| A70 | Oi et al. "Immunoglobulin gene expression in transformed lymphoid cells" <i>Proc Natl Acad Sci U S A</i> 80, 825-9, 1983 |
| A71 | Opitz et al. "Cyclin D1 overexpression and p53 inactivation immortalize primary oral keratinocytes by a telomerase-independent mechanism" <i>J Clin Invest</i> 108, 725-32, 2001 |
| A72 | Ozturk and Palsson : "Loss of Antibody Productivity During Long-Term Cultivation of a Hybridoma Cell Line in Low Serum and Serum-Free Media" <i>Hybridoma</i> 9: 167-175, 1990 |
| A73 | Pandey, A., and Mann, M. "Proteomics to study genes and genomes" <i>Nature</i> 405, 837-46, 2000 |
| A74 | Pandey et al. "Analysis of receptor signaling pathways by mass spectrometry: identification of vav-2 as a substrate of the epidermal and platelet-derived growth factor receptors" <i>Proc Natl Acad Sci U S A</i> 97, 179-84, 2000 |
| A75 | Papavasiliou et al. "The Cytoplasmic Domains of Immunoglobulin (Ig) α and Ig β Can Independently Induce the Precursor B Cell Transition and Allelic Exclusion," <i>J. Exp. Med</i> 182:1389-1393, 1995 |
| A76 | Parks et al. "Antigen-specific identification and cloning of hybridomas with a fluorescence-activated cell sorter" <i>Proc Natl Acad Sci U S A</i> 76, 1962-6, 1979 |
| A77 | Pelanda et al. "B Cell Progenitors Are Arrested in Maturatin but Have Intact VDJ Recombination in the Absence of Ig- α and Ig- β 1." <i>J. of Immun</i> 169:865-872, 2002 |
| A78 | Persidis, A. "Proteomics" <i>Nat Biotechnol</i> 16, 393-4, 1998 |
| A79 | Phillips et al. "Regulation of nuclear poly(A) addition controls the expression of immunoglobulin M secretory mRNA" <i>The EMBO Journal</i> 20(22):6443-6452, 2001 |
| A80 | Rapp et al. "The Use of the Fluorescent-Activated Cell Sorter to Monitor Changes in Cell-Specific Productivity and its Application to Large Scale Culture" <i>Advances in Animal Cell Biology and Technology for BioProcesses</i> , 129-133, 1989 |
| A81 | Reichlin et al. "B Cell Development is Arrested at the Immature B Cell State in Mice Carrying a Mutation in the Cytoplasmic Domain of Immunoglobulin b. <i>J. Exp. Med.</i> 01, 193(1):13-23, Jan. 2001 |
| A82 | Reth et al. "An unsolved problem of the clonal selection theory and the model of an oligomeric B-cell antigen receptor" <i>Immunol. Rev.</i> 176: 10-18, 2000 |
| A83 | Reth et al. "The B-cell antigen receptor complex." <i>Immun Today</i> 12(6):196-201, 1991 |
| A84 | Reth, Michael "Antigen Receptors on B Lymphocytes." <i>Annu. Rev. Immunol.</i> 10:97-121, 1992 |
| A85 | Richards et al. "Reconstitution of B cell antigen receptor-induced signaling events in a nonlymphoid cell line by expressing the Syk protein-tyrosine kinase" <i>J Biol Chem</i> 271, 6458-66, 1996 |
| A86 | Russo et al. "A telomere-independent senescence mechanism is the sole barrier to Syrian hamster cell immortalization" <i>Oncogene</i> 17, 3417-26, 1998 |
| A87 | Sakaguchi et al. "B lymphocyte lineage-restricted expression of mb-1, a gene with CD3-like structural properties" <i>Embo J</i> 7, 3457-64, 1988 |



| | |
|-----|---|
| A88 | Schamel and Reth, "Stability of the B cell antigen receptor complex." <i>Molecular Immunology</i> 37:253-259, 2000 |
| A89 | Schildbach et al. "Contribution of a single heavy chain residue to specificity of an anti-digoxin monoclonal antibody" <i>Protein Science</i> 3:737-749, 1994 |
| A90 | Stevens et al. "A Mutation of the μ Transmembrane that Disrupts Endoplasmic Reticulum Retention," <i>J. Immunol.</i> 4397-4406, 1994 |
| A91 | Sun et al. "Transfectomas expressing both secreted and membrane-bound forms of chimeric IgE with anti-viral specificity" <i>J Immunol</i> 146, 199-205, 1991 |
| A92 | Syrigos et al. "Use of monoclonal antibodies for the diagnosis and treatment of bladder cancer" <i>Hybridoma</i> 18, 219-224, 1999 |
| A93 | Torris et al. "Aberrant B Cell Development and Immune Response in Mice with a Compromised BCR Complex." <i>Science</i> 272(5269):1804-1808, 1996 |
| A94 | Wang and Clark, "Ig α : B all that you can B," <i>J. Clin Invest.</i> 104(8):1011-1012, 1999 |
| A95 | Weiser et al. The internalization of the IgG2a antigen receptor does not require the association with Ig- α and Ig- β but the activation of protein tyrosine kinases does." <i>Eur. J. Immunol.</i> 24:665-671, 1994 |
| A96 | Wienands et al. "Molecular components of the B cell antigen receptor complex of class IgD differ partly from those of IgM" <i>EMBO Journal</i> 9: 449-456, 1990 |
| A97 | Yuan, D., and Tucker, P. W. "Transcriptional regulation of the mu-delta heavy chain locus in normal murine B-lymphocytes" <i>J Exp Medicine</i> 160, 564-572, 1984. |

| | |
|--|------------------|
| EXAMINER: | DATE CONSIDERED: |
| EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | |